



Baltoflake

*Exceptional lifetime
in the most extreme exposures*



Baltoflake

Exceptional lifetime in extreme environments



Proven
in extreme
environments



Baltoflake stands up to the most hostile environments in the world – from the rough weather in the North Sea, to the heat of Africa’s driest desert, to the extreme humidity of South East Asia.

Baltoflake has proved its success in the protection of offshore installations, pipelines, jetties and iconic buildings where maintenance is difficult and expensive.

The application of Baltoflake on a new structure or object will provide exceptional protection throughout its life.

Exceptional lifetime
Minimum
maintenance



Baltoflake has a lifetime expectancy of more than 30 years – the longer the lifetime of a coating the greater the potential for savings.

There are examples of structures protected with Baltoflake over three decades ago which have not required any maintenance since the date of application.

Baltoflake’s unrivalled track record of extended maintenance-free protection provides security and economy – truly a ‘paint it/forget it’ cost effective solution over the design life of the project.

Outstanding
performance in
exposed areas



Baltoflake is highly suitable for a wide range of areas with high demands for coating life-time and durability, such as:

- Splash zones
- Jackets
- Underside of platform decks
- Jetties
- Pilings
- Offshore wind transition pieces
- Decks and walkways
- Helidecks
- Exposed structural steel on buildings

Baltoflake

The fastest curing anticorrosive system



Pampa Melchorita
Gas Export Pier and Jetty, Peru LNG

Baltoflake is simple and easy to apply by standard or 2 component spray. It can be applied up to 1500 microns in a single coat and it cures quickly. Application of a full protection system can be completed in a single day and the area coated can be used within a few hours.

Baltoflake is Jotun's fastest curing anticorrosive system – cured in a few hours. This makes it ideal for tidal zones and for production lines where objects coated for extreme exposure require early handling.

FLEXIBLE SOLUTIONS TO FIT YOUR NEEDS

• Fast curing

All Baltoflake products are dry to re-coat in only a couple of hours – across the whole temperature range. Production line flow can be improved as objects can be moved and stacked after only a short time. Baltoflake is especially well suited for application where speed of curing is crucial.

• Easy application

Baltoflake products are easy to apply with standard airless spray equipment. Utilising 2-component spray units gives an even better work flow. The Baltoflake range includes products suitable for application at temperatures down to +5°C and up to 45°C.



SEE FOR YOURSELF

See for yourself – view the 'Baltoflake video' on your laptop or digital device. Use the QR code here or visit jotun.com



Baltoflake

Extreme lifetime provided by glass reinforced polyester



Glass flakes – graphical representation only

Baltoflake combines the strength of specially formulated polyesters with a unique glass flake reinforcement. This virtually impermeable barrier of glass flakes blocks the passage of moisture and oxygen. With its immense strength Baltoflake provides outstanding resistance to abrasion and water combined with good chemical resistance – making it ideal for industrial and offshore structures – for all exposed steelwork from splash zone to helicopter deck.

Glassflakes

The specially designed glassflakes within Baltoflake coatings are only microns thick. These glass flakes are made of C-Glass which is highly chemically resistant and inert.

The thin special glass flakes are immensely strong – being both rigid and tensile.


In addition to the reinforcement, the glass flakes also contribute to the impermeability of the coating film.

Polyester coating


Polyesters provide extremely high build systems – and they cure very fast.

Unlike solvent free epoxies, polyester coatings are dry to handle in only a couple of hours and cure in just a few days. Their low VOCs give a beneficial environmental profile.

The special combination of the glass flakes and polyester is what makes Baltoflake extremely corrosion resistant and long lasting.



The glassflakes orientate as the film forms. The reinforcement of the glassflakes combines with the strength of specially formulated resins creating impermeable protection against abrasion and corrosion however hostile the environment



The glassflakes add great strength to the coatings as the enhanced elongation and compression qualities provide superior resistance to the most severe abrasion and impact.

Baltoflake

Tested, tried and proven over more than three decades

Baltoflake

Reliable long lifetime protection, extremely abrasion resistant and fast curing. Long track record with proven performance.

Baltoflake FC

Reliable long lifetime protection, extremely abrasion resistant and fast curing. To be used as final coat at temperatures above 25°C.

Baltoflake ECOLIFE

Styrene free – extremely abrasion resistant and fast curing. Can be used down to +5°C.

Baltoflake systems prequalified to NORSEK M-501 standard



The NORSEK M-501 specification describes a set of pre-qualification tests to be carried out by an independent test laboratory with very specific and strict acceptance criteria.

Jotun has responded to this challenge by producing systems that satisfy all eventualities which occur in the aggressive conditions to which these coatings are exposed.

Baltoflake is approved according to NORSEK M-501 rev 6.



“WHY RE-INVENT THE WHEEL – IT WORKS!”

“The coated area on Burj Al Arab is 120,000m², and 67,000 of these are painted with Baltoflake. It all went exceptionally well! The building is now 16 years old, we recently inspected it, and there is not a mark on it – much to my pleasure.”

*Graham Young
Managing Director
APS Dubai,
Responsible for coating of Burj Al Arab and Burj Khalifa*

“LIFE-TIME IS THE MOST IMPORTANT FACTOR WHEN IT COMES TO COATINGS”

“I joined Conoco Phillips 17 years after the first applications of Baltoflake at Ekofisk. When I saw the quality of the coating and the fact that there were no rust and no corrosion at all after 17 years – I specified it in as many places as I could.”

*Andrew Greig
Technically and constructually responsible for all Coating work on Ekofisk for 17 years*





A global provider of coatings



Jotun is one of the world's leading manufacturers of paints, coatings and powder coatings.

We have 71 companies and 36 production facilities on all continents, and are represented in more than 90 countries with our network of agents, branch offices, distributors and sales offices around the world.

Our operations cover development, production, marketing, R&D and sales of paints and coatings to protect and decorate surfaces in residential, shipping and industrial markets.

Jotun is organised in four segments and seven geographical regions with its head office located in Sandefjord, Norway.

PROTECTIVE COATINGS

Our protective coatings are protecting assets in industries such as offshore, energy, infrastructure and hydrocarbon processing.

MARINE COATINGS

As the world's leading provider of marine coatings we supply to ship owners, management companies and others for both newbuilding and dry-dock.

POWDER COATINGS

Our powder coatings are supplied to manufacturers of appliances, furniture, building components, pipelines and general industries.

DECORATIVE PAINTS

Our interior and exterior paints are being used by consumers and professionals worldwide, for protection and decoration.

UNIFORM STANDARD ACROSS THE GLOBE

- Easy to exchange trained technical personnel across national borders and multi-national projects.
- Compulsory training for all technical and sales personnel in marine and protective segments. Most of our coating advisors and technical personnel have FROSIO and/or NACE certification.
- Same competence in maintaining company standard procedures globally.



Jotun GreenSteps

FOR A MORE COLOURFUL WORLD, WE ALL NEED TO BE A LITTLE GREENER

Jotun recognises the responsibility it has to the environment and has established its own GreenSteps programme.

Through the GreenSteps programme we address market demand for more sustainable coatings solutions.



Jotun Marine Coatings and Jotun Protective Coatings offices worldwide

Legal Jotun entities world wide are listed. For details of Branch offices and Jotun representation in countries not listed, please visit jotun.com

AUSTRALIA

Jotun Australia Pty. Ltd.,
P.O. Box 105, Altona North,
9 Cawley Road,
BROOKLYN, VIC 3025
Tel: +61 3 9314 0722
Fax: +61 3 9314 0423

BRAZIL

Jotun Brasil Ltda.
Av Santa Luzia, 2084 - Santa Luzia
24.722-315 Sao Gonçalo
RIO DE JANEIRO
Tel: +55 21 3147 3850
Fax: +55 21 3147 3861

CYPRUS

Jotun Cyprus Ltd.
56 Theodorou Potamianou
Aphrodite Court, 1st Floor
4155, Kato Polemidia
LIMASSOL
Tel: +357 25 374455 / 374440 / 374477
Fax: +357 25 374400

P.R. of CHINA

Jotun Coatings (Zhangjiagang) Co. Ltd.
Jotun COSCO Marine Coatings
(Qingdao) Co. Ltd.
Floor 20, Jiu Shi Mansions,
No. 28 Zhong Shan Road (South)
SHANGHAI 200010
Tel: +86 21 6333 080 0
Fax: +86 21 6326 968 6

Jotun Coatings (Zhangjiagang) Co. Ltd.
Jotun COSCO Marine Coatings
(Qingdao) Co. Ltd.
Room 709-12, Goldlion Digital Network
Centre, 138 Tiyu Road East,
GUANGZHOU, 510620
Tel: +86 20 38 78 07 49
Fax: +86 20 38 78 19 66

HONG KONG

Jotun COSCO Marine Coatings (H.K.) Ltd
Room 902, 9/F,
101 King's Road, North Point
HONG KONG
Tel: +852 2527 6466
Fax: +852 2861 1307

DENMARK

Jotun Danmark A/S Jotun Coatings
Columbusvej 5, 2860 Søborg,
COPENHAGEN
Tel: +45 4492 9400
Fax: +45 4492 9401

EGYPT

El Mohandes Jotun S.A.E.
El Sheikh Aly Gad El Haq Street
Florida Mall,
Masaken Sheraton – 4th Floor
CAIRO
Tel: +20 2265 1800
Fax: +20 2265 1801

FINLAND

Nor-Maali OY
Vanhatie 20, 15240 LAHTI
Tel: +358 3 874 650
Fax: +358 3 874 6550

FRANCE

Jotun France S.A.
22/24 Rue du President Wilson, Bat.A
92300 LEVALLOIS PERRET
Tel: +33 1 4519 3882
Fax: +33 1 4519 3894

Jotun A/S

P.O. Box 2021,
N-3202 Sandefjord, Norway
Tel: +47 33 45 70 00
jotun.com

GERMANY

Jotun (Deutschland) GmbH
Haferweg 38
22769 HAMBURG
Tel: +49 40 851 960
Fax: +49 40 856 234

GREAT BRITAIN

Jotun Paints (Europe) Ltd.
Stather Road, Flixborough,
SCUNTHORPE DN15 8RR
Tel: +44 1724 400 000
Fax: +44 1724 400 100

GREECE

Jotun Hellas Ltd
18, Vouliagmenis Avenue,
Glyfada
ATHENS 16675
Tel: +30 210 42 85 980-82
+30 210 42 86 035-37
Fax: +30 210 42 85 983/
+30 210 42 87 237

INDIA

Jotun India Pvt Ltd.
502, 5th Floor,
Boston House,
Suren Road,
Behind Cinemax Theatre,
Andheri East,
Mumbai – 400 093
Tel: +91 22 2822 4600
+91 22 2820 5900 (+fax)
Fax: +91 22 2820 5900

INDONESIA

P.T. Jotun Indonesia
Kawasan Industri MM2100
Blok KK-1, Cikarang Barat
Bekasi 17520
Tel: +62 21 8998 2657
Fax: +62 21 8998 2658

IRELAND

Jotun (Ireland) Ltd.,
Unit K7, Marina Commercial Park,
Centre Park Road, CORK
Tel: +353 214 965955
Fax: +353 214 965992

ITALY

Jotun Italia S.P.A.
Via Petronio, 8, Zona Ind. Noghère
34147 - MUGLIA (TRIESTE)
Tel: +39 040 23 98204
Fax: +39 040 23 98222

JAPAN

NKM Coatings Co., Ltd.
12-1, Minamirokugo 3-chome,
Ota-ku,
TOKYO 144-0045
Tel: +81 3 6758 2212
Fax: +81 3 6758 2213

KOREA (SOUTH)

Chokwang-Jotun Ltd.
30th Block Jisa Science Park,
1205 Jisa-dong, Gangseo-gu,
BUSAN 618-230
Tel: +82 517 976 000
Fax: +82 517 117 735

LIBYA

Jotun Libya J.S.Co
Almumtaz Co. S.A. (Jotun).
Alseka Street
P.O. Box 6850
TRIPOLI
Tel: +218 214777811
Fax: +218 214780718

MALAYSIA

Jotun (Malaysia) Sdn. Bhd.
Lot 7 Persiaran Perusahaan,
Section 23, P.O. Box 7050
40700 SHAH ALAM
Tel: +60 351 235 500
Fax: +60 351 235 632

THE NETHERLANDS

Jotun B.V.
Postbus 208
3200 AE SPIJKENISSE
Visiting address:
Curieweg 11b, 3208 KJ Spijkenisse
ROTTERDAM
Tel: +31 181 678 300
Fax: +31 181 617 899

NORWAY

Jotun A/S
P.O. Box 2021,
3202 SANDEFJORD
Visiting address:
Hystadveien 167, 3209 Sandefjord
Tel: +47 33 45 70 00
Fax: +47 33 45 79 00

OMAN

Jotun Paints Co. LLC
Rusayl Ind. Estate, Road No.10
P.O. Box 672 Code 111, MUSCAT
Tel: +968 2444 6100
Fax: +968 2444 6105

PAKISTAN

Jotun Pakistan (Pvt.) Limited
Plot no. 2-H, Sector 5
Korangi Industrial Area, KARACHI
Tel: +92 213 5121 491-2
Fax: +92 213 5121 493

PHILIPPINES

Jotun (Philippines) Inc.
846 West Service Road, Km.18
South Super Highway
Paranaque City,
METRO MANILA 1714
Tel: +63 2239 1032-34
Fax: +63 2822 0760

POLAND

Jotun Polska Sp.zo.o.
ul. Magnacka 15,
80-180 GDAŃSK KOWALE
Tel: +48 58 555 1515
Fax: +48 58 781 9692

RUSSIA

Jotun Paints O.O.O.
Varshavskaya Str., 23/2, Office 53
196128 ST. PETERSBURG
Tel: +7 812 640 00 80
Fax: +7 812 640 00 81

SAUDI ARABIA

Jotun Saudia Co. Ltd.
Jeddah Industrial City, Phase 3,
P.O. Box 34698, JEDDAH 21478
Tel: +966 2635 0535 / 2636 1271
Fax: +966 2636 2483

SINGAPORE

Jotun (Singapore) Pte. Ltd.
37 Tuas View Crescent
Singapore 637236
Tel: +65 650 882 88
Fax: +65 6265 7484

SOUTH AFRICA

Jotun Paints South Africa (PTY) Ltd.
Wimbledon Road, P.O.Box 187
BLACKHEATH 7581
Tel: +27 21 905 1070
Fax: +27 21 905 1652

SPAIN

Jotun Iberica S.A.
Poligon Santa Rita,
Calle Estatica no. 3,
08755 Castellbisbal,
BARCELONA
Tel: +34 937 711 800
Fax: +34 937 711 801

SWEDEN

Jotun Sverige AB
P.O. Box 151, Klangfärgsgatan 13,
421 22 VÄSTRA FROLUNDA
Tel: +46 3169 6300
Fax: +46 3169 6397

THAILAND

Jotun Thailand Ltd
Amata Nakom Ind. Estate (BIPII)
700/353 Moo 6 Tumbol
Donhualoh, Amphur Muang
CHONBURI 2000
Tel: +66 38 214 824-6/214 347-51
Fax: +66 38 214 373/375

TURKEY

Jotun Boya San. ve Ticaret. A.S.
Hilpark Suites Sitesi No.10,
Istinye,
34460 Sariyer - ISTANBUL
Tel: +90 21 2279 7878
Fax: +90 21 2279 2549

U. A. E.

Abu Dhabi
Jotun Abu Dhabi (LLC)
P.O. Box 3714, Mussafah
ABU DHABI
Tel: +971 2691 0700
Fax: +971 2551 0232

Dubai

Jotun U.A.E. Ltd. (LLC)
P.O. Box 3671,
Al Quoz Industrial Area
DUBAI
Tel: +971 4339 5000
Fax: +971 4338 0666

USA

Jotun Paints, Inc.
9203 Highway 23, P.O. Box 159,
Belle Chasse, LA 70037
Tel: +1 800 229 3538 /
+1 504 394 3538
Fax: +1 504 394 3726

VIETNAM

Jotun Paints (Vietnam) Co. Ltd.
Song Than Industrial. Zone,
No.1 Street 10,
Di An District, Binh Duong Province
Tel: +84 650 3742206
Fax: +84 650 374 2205

YEMEN

Jotun Yemen Paints Co. Ltd
P.O. Box 70183, Al Alam
ADEN
Tel: +967 2820 546-9
Fax: +967 2249 362



Jotun Protects Property